

UNITED STATES PATENT APPLICATION

of

Joseph D. Schroeder
1041 High Street
Dedham, MA 02026

and

J. Chad Scales
7 Andrews Drive
Darien, CT 06820


for

ANTI-MICROBIAL PACKAGING POLYMER AND ITS METHOD OF USE

Attorney for Applicants
Gene S. Winter, Registration No. 28,352
Michael W. Krenicky, Registration No. 45,411
ST.ONGE STEWARD JOHNSTON & REENS LLC
986 Bedford Street
Stamford, CT 06905-5619
203 324-6155

Express Mail Certificate: I hereby certify that this correspondence is today being deposited with the U.S. Postal Service as *Express Mail Post Office to Addressee* Mailing Label Number EL 550 088 905 US in an envelope addressed to: BOX PATENT APPLICATION; Assistant Commissioner for Patents; Washington, DC 20231.

April 13, 2001


Michael W. Krenicky

Title Of Invention

ANTI-MICROBIAL PACKAGING POLYMER AND ITS METHOD OF USE

Cross-Reference To Related Applications

[0001] The present application claims the benefit of U.S. Provisional Application Ser. No. 60/196,982 filed April 13, 2000, entitled "Anti-Microbial Packaging Polymer And Its Method Of Use".

Field Of The Invention

[0002] The present invention relates to covalently bonding anti-microbial agents to the surface of a selected polymer and its method of use as an anti-microbial agent to reduce surface bacterial, fungus, and/or virus count of the material it contacts. The invention can be applied to a variety of applications such as film and container packaging of foodstuffs, cosmetics, medical equipment and devices, environmental, hygienic and sanitary applications, as well as other consumer and commercial use.

Background Of The Invention

[0003] The invention relates to a contact anti-microbial covalently bound to a polymeric material that may be suitable in a variety of applications such as film and container packaging of foodstuffs, cosmetics, medical equipment and devices, environmental, hygienic and sanitary applications, as well as other consumer and commercial use. In one aspect of the invention and not as a limitation, the invention provides anti-microbial compositions covalently linked to packaging and processing films for foodstuff and methods for inhibiting or preventing growth of microbes such as bacteria, molds and yeast on food surfaces.

[0004] In this aspect of the invention, an anti-microbial agent is covalently bound to polymeric films used to package and wrap food for the purpose of reducing surface bacterial, fungus, and/or virus count and/or increasing the shelf life of the enveloped food article.

[0005] Prior art of interest includes U.S. Patent No. 4,532,128 (herein incorporated by reference), which relates to polymeric quaternary ammonium compounds having recurring vinylbenzyl ammonium units. The quaternary ammonium units preferably have 2 alkyl substituents of 1 to 4 carbons and 1 alkyl substituent of 4 to 12 carbons. U.S. Patent No. 4,532,128 specifically relates to non-film materials that have antimicrobial properties and are particularly useful for preserving ophthalmic solutions.

[0006] The present invention preferably relates to film compositions capable of killing microbes and therefore useful for food preservation. "Food preservation", as that term is used herein, includes methods, which guard against food poisoning as well as methods, which delay or prevent food spoilage due to microbes. Food preservation keeps food safe for consumption and inhibits or prevents nutrient deterioration or organoleptic changes causing food to become less palatable.


[0007] "Food spoilage", as that term is used herein, includes any alteration in the condition of food which makes it less palatable including changes in taste, smell, texture, or appearance. Spoiled food may or may not be toxic.

[0008] "Food poisoning", as that term is used herein, refers to mammalian diseases caused by ingestion of food contaminated by pathogenic viruses, molds, or bacteria and/or their toxins. Pathogen-contaminated food does not necessarily show any organoleptic sign of spoilage. Bacterial food poisoning may be caused by either infection of the host by the bacterial organism or by action of the toxin produced by the bacteria either in the food or the host. (See U.S. Patent No. 5,573,801,

incorporated herein by reference). Initial attempts to prevent food spoilage and food poisoning were trial and error. The use of drying, salting, and smoking of food found favor in early ages. Technological advances later showed that chemical agents such as nitrites/nitrates, sulfites, acetic acid (pickling), and antibiotics (natamycin/nisin) could be beneficially applied to foodstuffs. Polymeric films for food packaging have seen increasing use as the importance of retail supermarkets and home use of refrigerators and microwaves has risen. Polymeric films are used because of their convenience in applications of storage and cooking. The advantageous properties are clinginess, air permeability, anti-fogging, and transparency. There are examples of polymeric films which incorporate metallic (See U.S. Patent Nos. 5,929,133; 6,126, 931 and 5,827,524, incorporated herein by reference) and organic (See U.S. Patent Nos. 5,906,825; 5,759,844; 5,639,466; 5,573,801; 5,573,800; and 5,573,797, incorporated herein by reference) anti-microbials in a non-covalent fashion for use with foodstuffs. There are several disadvantages to these prior art approaches. For example, because the anti-microbial is not covalently bound, it may be leached from the polymeric film, thus the anti-microbial effect decreases with time. Another disadvantage is that some types of anti-microbials are toxic to mammalian species as well as bacteria and would be inappropriate for food applications where the agent could migrate from the package to the foodstuff. Yet a further disadvantage is that an anti-microbial which leaches from the polymeric film may alter the taste and/or appearance of the foodstuff contained within. In the case of films used in cooking, the process of heating may accelerate the migration of the anti-microbial from the film to the foodstuff such that higher levels than acceptable are found on the foodstuff. Thus, the prior art is deficient in affording a contact anti-microbial covalently bound to a polymer which inhibits the growth of microbes while reducing the possibility of leaching or migration of the anti-microbial from the polymer in a form that may be suitable for a variety of applications such as film and container packaging of foodstuffs, cosmetics, medical equipment and devices, environmental, hygienic and sanitary applications, as well as other consumer and commercial use.

1. The first part of the paper is devoted to a review of the literature on the effects of the 1997-1998 Asian financial crisis on the economies of the Asian countries. The second part of the paper is devoted to a review of the literature on the effects of the 1997-1998 Asian financial crisis on the economies of the Asian countries. The third part of the paper is devoted to a review of the literature on the effects of the 1997-1998 Asian financial crisis on the economies of the Asian countries. The fourth part of the paper is devoted to a review of the literature on the effects of the 1997-1998 Asian financial crisis on the economies of the Asian countries. The fifth part of the paper is devoted to a review of the literature on the effects of the 1997-1998 Asian financial crisis on the economies of the Asian countries. The sixth part of the paper is devoted to a review of the literature on the effects of the 1997-1998 Asian financial crisis on the economies of the Asian countries. The seventh part of the paper is devoted to a review of the literature on the effects of the 1997-1998 Asian financial crisis on the economies of the Asian countries. The eighth part of the paper is devoted to a review of the literature on the effects of the 1997-1998 Asian financial crisis on the economies of the Asian countries. The ninth part of the paper is devoted to a review of the literature on the effects of the 1997-1998 Asian financial crisis on the economies of the Asian countries. The tenth part of the paper is devoted to a review of the literature on the effects of the 1997-1998 Asian financial crisis on the economies of the Asian countries.

(1)



5

arylcarboxylic ester, arylcarboxyl, carboxamido, alkylcarboxamido, arylcarboxamido, urea, and phosphoryl, and silyl.

[0010] Preferably, R_9 and R_{10} when taken together are selected from the group consisting of heterocyclic ring, cycloalkyl group, and bridged cycloalkyl group.

[0011] Preferably, R_{10} and R_{11} when taken together are selected from the group consisting of heterocyclic ring, cycloalkyl group, and bridged cycloalkyl group.

[0012] Preferably, Z is selected from the group consisting of nitrogen and phosphorous.

[0013] Preferably, X is selected from the group consisting of a non-leaching counterion and halogen.

[0014] Preferably, m, n, o can be the same or different integer within the range from 0 - 1000.

[0015] It is the object of the present invention to provide antimicrobial film compositions wherein the antimicrobial side chain is selected from the group consisting of quaternary ammonium salts, pyridinium salts, and phosphonium salts.

[0016] It is the object of the present invention to provide antimicrobial film compositions wherein said antimicrobial film combats the growth of microorganisms selected from the group consisting of bacterium, fungus, molds, yeast, and virus.

[0017] It is the object of the present invention to provide antimicrobial film compositions wherein X is an anion of the quaternary salts or comprises the anion of any physiologically acceptable acid.

[0018] It is the object of the present invention to provide a packaging composition comprising an antimicrobial packaging polymer characterized by having an antimicrobial agent covalently bound thereto wherein said antimicrobial agent is selected from the group of salts consisting of quaternary ammonium, pyridinium, and phosphonium.

[0019] It is the object of the present invention to provide a packaging composition comprising an antimicrobial packaging polymer characterized by having an antimicrobial agent covalently bound thereto wherein the antimicrobial agent is selected from the group of salts consisting of quaternary ammonium, pyridinium, and phosphonium.

[0020] It is the object of the present invention to provide a composition for combating the growth of a microorganism selected from the group consisting of bacterium, fungus, and virus comprising an antimicrobial agent covalently bound to a polymer such that the antimicrobial agent and the polymer have the general formula I.

[0021] It is the object of the present invention to provide compositions for combating the growth of a microorganism selected from the group consisting of bacterium, fungus, molds, yeast, and virus comprising an antimicrobial agent covalently bound to a polymer such that said antimicrobial agent and said polymer have the general formula I. These compositions comprise X, which is an anion of the quaternary salts and may comprise the anion of any physiologically acceptable acid.

[0022] It is the object of the present invention to provide film compositions for combating the growth of a microorganism selected from the group consisting of bacterium, fungus, molds, yeast, and virus. These films are selected from the group consisting of Poly (Dimethyloctyl [(4-vinylphenyl)]methylammonium chloride) and stereochemically isomeric forms thereof.

[0023] It is the object of the present invention to provide film composition for combating the growth of a microorganism selected from the group consisting of bacterium, fungus, molds, yeast, and virus. These films are selected from the group consisting of Poly (Dimethyldodecyl [4-vinylphenyl] methylammonium chloride and stereochemically isomeric forms thereof.

[0024] It is the object of the present invention to provide film compositions for combating the growth of a microorganism selected from the group consisting of bacterium, fungus, molds, yeast, and virus. These films are selected from the group consisting of Poly (Dimethyltetradecyl [4-vinylphenyl] methylammonium chloride and stereochemically isomeric forms thereof.

[0025] It is the object of the present invention to provide film compositions for combating the growth of a microorganism selected from the group consisting of bacterium, fungus, molds, yeast, and virus. These films are selected from the group consisting of Poly (Trioctyl [4-vinylphenyl] methylphosphonium chloride and stereochemically isomeric forms thereof.

[0026] It is the object of the present invention to provide a process of packaging objects by providing antimicrobial packaging films, and stereochemical isomeric equivalents thereof, characterized having antimicrobial side chains covalently bound to a polymer. Preferably these polymers are made from monomer units containing reactive groups for forming covalent bounds to substituents in a molecule containing or capable of being transformed into an ammonium or phosphonium salt. The process is suited for packaging a variety of objects including foodstuffs, cosmetic items, medical equipment, medical devices, environmental equipment, environmental devices, sanitary equipment, sanitary devices, and consumer goods. The process provides a packaging film having antimicrobial side chains consisting of quaternary ammonium salts, pyridinium salts, and phosphonium salts, and combinations thereof. These side chains are

preferably non-leaching. Such a process is suitable for a variety of applications including film packaging of foodstuff, container packaging of foodstuffs, cosmetics, medical equipment, medical devices, environmental applications, hygienic applications, and sanitation devices, as well as other consumer and commercial uses. These films are preferably used to package and wrap food for the purpose of reducing surface bacterial, fungus, and/or virus count and/or increasing the shelf life of the enveloped food article.

[0027] It is the object of the present invention to provide a method of killing microorganisms by providing a substrate having disposed thereon a contact-killing, non leaching antimicrobial coating, said coating comprising an organic polymer matrix having bound or complexed thereto a surface-accessible antimicrobial material such that the antimicrobial coating does not release biocide amounts of elutables into the surrounding environment. Preferably the surface accessible antimicrobial material is made from straight chain polymers. This method includes the step of facilitating contact between the coating and the microorganism to permit direct transfer of the antimicrobial material to the microorganism in an amount sufficient to kill the microorganism. Preferably, the antimicrobial material is selected from benzalkonium halide compounds, quaternary ammonium salts, pyridinium salts, phosphonium salts, and combinations thereof. The substrate is preferably a synthetic polymer however may also include metal, wood, natural and synthetic fibers, cloth, paper, rubbers, and glass. Preferably, suitable organic polymer matrix may include plastic resins selected from the group consisting of polyamide, polyethylene, polyvinylidene chloride, polyvinyl chloride, polyvinylidene, polypropylene, polyethylene terephthalate, polyethylene terephthalate (glycol modified), and polycarbonate. Preferably the organic polymer matrix is a resin comprising a linear, straight chain polymer. Preferably the invention kills microorganisms including bacterium, fungus, molds, yeast, and virus.

[0028] It is the object of the present invention to provide compositions and methods of killing microbes on various substrates including

medical devices, prosthetics, implants, and medical equipment. For example a catheter, or stent may be a suitable substrate for applying films of the present invention.

Brief Description Of The Drawings

[0029] FIG. 1 shows the generic polymer structure of the present invention.

[0030] FIG. 2 shows one example to make the polymer structure of the present invention, wherein a charged species may be directly linked to a polymerizable unit.

[0031] FIG. 3 shows another example to make the polymer structure of the present invention, wherein an existing polymer surface may contain reactive groups to form covalent bonds to an antibacterial agent.

[0032] FIG. 4 shows another example to make polymer structure of the present invention, wherein the polymer contains an alkylating group which may react with a neutral species of an anti-microbial agent.

[0033] FIG. 5 is a photograph of a plate assay showing a comparison of antimicrobial activity of the antimicrobial films of the present invention.

[0034] FIG. 6A, 6B, and 6C are photographs of a plate assay showing a comparison of antimicrobial activity of the antimicrobial films of the present invention.

[0035] FIG. 7 is a photograph of a plate assay showing a comparison of antimicrobial activity of the antimicrobial films of the present invention.

[0036] FIG. 8A is a schematic graphic illustration of the antimicrobial film of the present invention prior to contact of the film with microorganisms.

[0037] FIG. 8B is a schematic graphic illustration of the antimicrobial film of the present invention during contact of the film with the microorganism.

[0038] FIG. 8C is a schematic graphic illustration of the antimicrobial film of the present invention showing the death of a microbe.

Detailed Description Of The Drawings

[0039] Of the diverse categories of anti-microbial agents and compositions, quaternary ammonium, pyridinium, and phosphonium compounds (quaternary salts) represent one of the largest of the classes of agents in use. At low concentrations, quaternary salts are bacteriostatic, fungistatic, algistatic, sporatatic and tuberculostatic. At medium concentrations they are bactericidal, fungicidal, algicidal and viricidal against lipophilic viruses. (See U. S. Patent No. 4,847,088, incorporated herein by reference).

[0040] The term "microorganism" or "microbe" as used herein includes bacteria, blue-green algae, fungi, yeast, mycoplasmas, protozoa and algae.

[0041] The term "biocidal" or "antimicrobial" as used herein means bactericidal or bacteriostatic, fungistatic, algistatic, sporatatic, tuberculostatic, bactericidal, fungicidal, algicidal and viricidal. The term "bactericidal" as used herein means the killing of microorganisms. The term "bacteriostatic" as used herein means inhibiting the growth of microorganisms, which can be reversible under certain conditions.

[0042] As used herein, the terms "non-leachable" or "substantially non-leachable" means that none or very minute amounts (e.g., below a certain threshold) of the organic and/or biocidal material dissolves into a liquid

environment. Preferably, this threshold is no higher than 1 part per million (ppm), and more preferably is lower than 100 parts per billion (ppb).

[0043] Figure 1 shows the generic chemical structure of the anti-microbial polymer of the present invention.

[0044] R_{1-12} are defined as any combination of the same or different groups listed below. Any individual R_n ($n=1-12$) can be made up of one or more of the following groups to achieve a full valence throughout. Any individual R_n ($n=1-12$) may also be covalently bound to a neighboring polymer so as to form cross-links between two polymer main chains. R_9 and R_{10} when taken together are a heterocyclic ring, a cycloalkyl group or a bridged cycloalkyl group, as defined herein. R_{10} and R_{11} when taken together are a heterocyclic ring, a cycloalkyl group or a bridged cycloalkyl group, as defined herein.

[0045] Z refers to nitrogen or phosphorous.

[0046] m, n, o can be the same or different and range from 0 - 1000.

[0047] X- refers to a non-leaching counterion. Exemplary counterions include carbonate, sulfonate, bicarbonate, bisulfonate, mesylate, acetate, and halogen (most preferably a halogen) as defined herein.

[0048] "Alkyl" refers to a lower alkyl group, a haloalkyl group, a hydroxyalkyl group, an alkenyl group, an alkynyl group, a bridged cycloalkyl group, a cycloalkyl group or a heterocyclic ring, as defined herein.

[0049] "Lower alkyl" refers to branched or straight chain acyclic alkyl group comprising one to about eighteen carbon atoms. Exemplary alkyl groups include methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, sec-butyl, pentyl, neopentyl, iso-amyl, hexyl, octyl, decyl, octadecyl and the like.

[0050] "Haloalkyl" refers to an alkyl group, an alkenyl group, an alkynyl group, a bridged cycloalkyl group, a cycloalkyl group or a heterocyclic ring, as defined herein, to which is appended one or more halogens, as defined herein. Exemplary haloalkyl groups include trifluoromethyl, chloromethyl, 2-bromobutyl, and the like.

[0051] "Alkenyl" refers to a branched or straight chain C₂-C₁₈ hydrocarbon which can comprise one or more carbon-carbon double bonds. Exemplary alkenyl groups include propylenyl, buten-1-yl, isobutenyl, penten-1-yl, 2,2-methylbuten-1-yl, 3-methylbuten-1-yl, hexan-1-yl, hexan-2-yl, hexan-3-yl, octen-1-yl, decen-1-yl, octadecen-1-yl and the like.

[0052] "Alkynyl" refers to an unsaturated acyclic C₂-C₁₈ hydrocarbon which can comprise one or more carbon-carbon triple bonds. Exemplary alkynyl groups include ethynyl, propynyl, butyn-1-yl, butyn-2-yl, pentyl-1-yl, pentyl-2-yl, 3-methylbutyn-1-yl, hexyn-1-yl, hexyn-2-yl, hexyn-3-yl, decyn-1-yl, octadecyn-1-yl and the like, and the like.

[0053] "Bridged cycloalkyl" refers to two or more cycloalkyl groups, heterocyclic groups, or a combination thereof fused via adjacent or non-adjacent atoms. Bridged cycloalkyl groups can be unsubstituted or substituted with one, two or three substituents independently selected from alkyl, alkoxy, amino, alkylamino, dialkylamino, hydroxy, halo, carboxyl, alkylcarboxylic acid, aryl, amidyl, ester, alkylcarboxylic ester, carboxamido, alkylcarboxamido, oxo and nitro. Exemplary bridged cycloalkyl groups include adamantyl, decahydronaphthyl, quinuclidyl, 2,6-dioxabicyclo[3,3,0]octane, 7-oxabicyclo[2,2,1]heptyl, 8-azabicyclo[3,2,1]oct-2-enyl and the like.

[0054] "Cycloalkyl" refers to a saturated or unsaturated cyclic hydrocarbon comprising from about 3 to about 10 carbon atoms. Cycloalkyl groups can be unsubstituted or substituted with one, two or three substituents independently selected from alkyl, alkoxy, amino, alkylamino, dialkylamino, arylamino, diarylamino, alkylarylamino, aryl, amidyl, ester, hydroxy, halo,

carboxyl, alkylcarboxylic acid, alkylcarboxylic ester, carboxamido, alkylcarboxamido, oxo and nitro. Exemplary cycloalkyl groups include cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cyclohexenyl, cyclohepta,1,3-dienyl, and the like.

[0055] "Heterocyclic ring or group" refers to a saturated or unsaturated cyclic hydrocarbon group having about 2 to about 10 carbon atoms where 1 to about 4 carbon atoms are replaced by one or more nitrogen, oxygen and/or sulfur atoms. Sulfur maybe in the thio, sulfinyl or sulfonyl oxidation state. The heterocyclic ring or group can be fused to an aromatic hydrocarbon group. Heterocyclic groups can be unsubstituted or substituted with one, two or three substituents independently selected from alkyl, alkoxy, amino, alkylamino, dialkylamino, arylamino, diarylamino, alkylaryl amino, hydroxy, oxo, thial, halo, carboxyl, carboxylic ester, alkylcarboxylic acid, alkylcarboxylic ester, aryl, arylcarboxylic acid, arylcarboxylic ester, amidyl, ester, alkylcarbonyl, arylcarbonyl, carboxamido, alkylcarboxamido, arylcarboxamido, sulfonic acid, sulfonic ester, sulfonamido and nitro. Exemplary heterocyclic groups include pyrrolyl, 3-pyrrolinyl, 4,5,6-trihydro-2H-pyranyl, pyridinyl, 1,4-dihydropyridinyl, pyrazolyl, triazolyl, pyrimidinyl, pyridazinyl, oxazolyl, thiazolyl, imidazolyl, indolyl, thiophenyl, furanyl, tetrahydrofuranyl, tetrazolyl, 2-pyrrolinyl, 3-pyrrolinyl, pyrrolindinyl, oxazolindinyl, 1,3-dioxolanyl, 2-imidazonlinyl, imidazolindinyl, 2-pyrazolynyl, pyrazolidinyl, isoxazolyl, isothiazolyl, 1,2,3-oxadiazolyl, 1,2,3-triazolyl, 1,3,4-thiadiazolyl, 2H-pyranyl, 4H-pyranyl, piperidinyl, 1,4-dioxanyl, morpholinyl, 1,4-dithianyl, thiomorpholinyl, pyrazinyl, piperazinyl, 1,3,5-triazinyl, 1,3,5-trithianyl, benzo(b)thiophenyl, benzimidazolyl, quinolinyl, and the like.

[0056] "Heterocyclic compounds" refer to mono- and polycyclic compounds comprising at least one aryl or heterocyclic ring.

[0057] "Aryl" refers to a monocyclic, bicyclic, carbocyclic or heterocyclic ring system comprising one or two aromatic rings. Exemplary aryl groups include phenyl, pyridyl, naphthyl, quinoyl, tetrahydronaphthyl,

furanyl, indanyl, indenyl, indoyl, and the like. Aryl groups (including bicyclic aryl groups) can be unsubstituted or substituted with one, two or three substituents independently selected from alkyl, alkoxy, amino, alkylamino, dialkylamino, arylamino, diarylamino, alkylarylamino, hydroxy, carboxyl, carboxylic ester, alkylcarboxylic acid, alkylcarboxylic ester, aryl, arylcarboxylic acid, arylcarboxylic ester, alkylcarbonyl, arylcarbonyl, amidyl, ester, carboxamido, alkylcarboxamido, carbomyl, sulfonic acid, sulfonic ester, sulfonamido and nitro. Exemplary substituted aryl groups include tetrafluorophenyl, pentafluorophenyl, sulfonamide, alkylsulfonyl, arylsulfonyl, and the like.

[0058] "Cycloalkenyl" refers to an unsaturated cyclic C₂-C₁₈ hydrocarbon which can comprise one or more carbon-carbon double bonds.

[0059] "Alkylaryl" refers to an alkyl group, as defined herein, to which is appended an aryl group, as defined herein. Exemplary alkylaryl groups include benzyl, phenylethyl, hydroxybenzyl, fluorobenzyl, fluorophenylethyl, and the like.

[0060] "Cycloalkylalkyl" refers to a cycloalkyl radical, as defined herein, attached to an alkyl radical, as defined herein.

[0061] "Heterocyclicalkyl" refers to a heterocyclic ring radical, as defined herein, attached to an alkyl radical, as defined herein.

[0062] "Arylheterocyclic ring" refers to a bi- or tricyclic ring comprised of an aryl ring, as defined herein, appended via two adjacent carbon atoms of the aryl ring to a heterocyclic ring, as defined herein. Exemplary arylheterocyclic rings include dihydroindole, 1,2,3,4-tetrahydroquinoline, and the like.

[0063] "Alkoxy" refers to R₁₃O-, wherein R₁₃ is an alkyl group, as defined herein. Exemplary alkoxy groups include methoxy, ethoxy, t-butoxy, cyclopentyloxy, and the like.

[0064] "Aryloxy" refers to $R_{14}O-$, wherein R_{14} is an aryl group, as defined herein. Exemplary arylkoxy groups include phenoxy, naphthyloxy, quinolyloxy, isoquinolizinyloxy, and the like.

[0065] "Arylalkoxy or alkoxyaryl" refers to an alkoxy group, as defined herein, to which is appended an aryl group, as defined herein. Exemplary arylalkoxy groups include benzyloxy, phenylethoxy, chlorophenylethoxy, and the like.

[0066] "Alkoxyalkyl" refers to an alkoxy group, as defined herein, appended to an alkyl group, as defined herein. Exemplary alkoxyalkyl groups include methoxymethyl, methoxyethyl, isopropoxymethyl, and the like.

[0067] "Alkoxyhaloalkyl" refers to an alkoxy group, as defined herein, appended to a haloalkyl group, as defined herein. Exemplary alkoxyhaloalkyl groups include 4-methoxy-2-chlorobutyl and the like.

[0068] "Cycloalkoxy" refers to $R_{15}O-$, wherein R_{15} is a cycloalkyl group or a bridged cycloalkyl group, as defined herein. Exemplary cycloalkoxy groups include cyclopropyloxy, cyclopentyloxy, cyclohexyloxy, and the like.

[0069] "Cycloalkylthio" refers to $R_{16}S-$, wherein R_{16} is a cycloalkyl group or a bridged cycloalkyl group, as defined herein. Exemplary cycloalkylthio groups include cyclopropylthio, cyclopentylthio, cyclohexylthio, and the like.

[0070] "Haloalkoxy" refers to a haloalkyl group, as defined herein, to which is appended an alkoxy group, as defined herein. Exemplary haloalkyl groups include 1,1,1-trichloroethoxy, 2-bromobutoxy, and the like.

[0071] "Hydroxy" refers to $-OH$.

[0072] "Oxo" refers to $=O$.

[0073] "Hydroxyalkyl" refers to a hydroxy group, as defined herein, appended to an alkyl group, as defined herein.

[0074] "Amino" refers to -NH_2 .

[0075] "Nitrate" refers to -O-NO_2 .

[0076] "Nitro" refers to the group -NO_2 .

[0077] "Nitrile" and "cyano" refer to -CN .

[0078] "Halogen" or "halo" refers to iodine (I), bromine (Br), chlorine (Cl), and/or fluorine (F).

[0079] "Alkylamino" refers to $\text{R}_{17}\text{NH-}$, wherein R_{17} is an alkyl group, as defined herein. Exemplary alkylamino groups include methylamino, octadecylamino, benxylamino, cyclohexylamino, and the like.

[0080] "Arylamino" refers to $\text{R}_{18}\text{NH-}$, wherein R_{18} is an aryl group, as defined herein.

[0081] "Dialkylamino" refers to $\text{R}_{19}\text{R}_{20}\text{N-}$, wherein R_{19} and R_{20} are each independently an alkyl group, as defined herein. Exemplary dialkylamino groups include dimethylamino, dioctylamino, methyl octylamino, and the like.

[0082] "Diarylamino" refers to $\text{R}_{21}\text{R}_{22}\text{N-}$, wherein R_{21} and R_{22} are each independently an aryl group, as defined herein.

[0083] "Alkylarylamino" refers to $\text{R}_{23}\text{R}_{24}\text{N-}$, wherein R_{23} is an alkyl group, as defined herein, and R_{24} is an aryl group, as defined herein.

[0084] "Aminoalkyl" refers to an amino group, an alkylamino group, a dialkylamino group, an arylamino group, a diarylamino group, an

alkylaryl amino group or a heterocyclic ring, as defined herein, to which is appended an alkyl group, as defined herein.

[0085] "Aminoaryl" refers to an amino group, an alkyl amino group, a dialkyl amino group, an aryl amino group, a diaryl amino group, an alkylaryl amino group or a heterocyclic ring, as defined herein, to which is appended an aryl group, as defined herein.

[0086] "Thio" refers to $-S-$.

[0087] "Sulfinyl" refers to $-S(O)-$.

[0088] "Methanthial" refers to $-C(S)-$.

[0089] "Thial" refers to $=S$.

[0090] "Sulfonyl" refers to $-S(O)_2-$.

[0091] "Sulfonic ester" refers to $-S(O)_2OR_{25}$, wherein R_{25} is an alkyl group, an aryl group, an alkylaryl group or an aryl heterocyclic ring, as defined herein.

[0092] "Sulfonamido" refers to $-S(O)_2-N(R_{26})(R_{27})$, wherein R_{26} and R_{27} are each independently a hydrogen atom, an alkyl group, an aryl group, an alkylaryl group, or an aryl heterocyclic ring, as defined herein, and R_{26} and R_{27} when taken together are a heterocyclic ring, a cycloalkyl group or a bridged cycloalkyl group, as defined herein.

[0093] "Alkylsulfonamido" refers to a sulfonamido group, as defined herein, appended to an alkyl group, as defined herein.

[0094] "Arylsulfonamido" refers to a sulfonamido group, as defined herein, appended to an aryl group, as defined herein.

[0095] "Alkylthio" refers to $R_{28}S-$, wherein R_{28} is an alkyl group, as defined herein (preferably a lower alkyl group, as defined herein).

[0096] "Arylthio" refers to $R_{19}S-$, wherein R_{29} is an aryl group, as defined herein

[0097] "Alkylsulfinyl" refers to $R_{30}-S(O)-$, wherein R_{30} is an alkyl group, as defined herein.

[0098] "Alkylsulfonyl" refers to $R_{31}-S(O)_2-$, wherein R_{31} is an alkyl group, as defined herein.

[0099] "Arylsulfinyl" refers to $R_{32}-S(O)-$, wherein R_{32} is an aryl group, as defined herein.

[00100] "Arylsulfonyl" refers to $R_{33}-S(O)_2-$, wherein R_{33} is an aryl group, as defined herein.

[0100] "Amidyl" refers to $R_{34}C(O)N(R_{35})-$ wherein R_{34} and R_{35} are each independently a hydrogen atom, an alkyl group, an aryl group, an alkylaryl group, or an arylheterocyclic ring, as defined herein.

[0101] "Ester" refers to $R_{36}C(O)O-$ wherein R_{36} is a hydrogen atom, an alkyl group, an aryl group, an alkylaryl group, or an arylheterocyclic ring, as defined herein.

[0102] "Carbamoyl" refers to $-O-C(O)N(R_{37})(R_{38})$, wherein R_{37} and R_{38} are each independently a hydrogen atom, an alkyl group, an aryl group, an alkylaryl group or an arylheterocyclic ring, as defined herein, or R_{37} and R_{38} taken together are a heterocyclic ring, a cycloalkyl group or a bridged cycloalkyl group, as defined herein.

[0103] "Carboxyl" refers to $-C(O)OR_{39}$, wherein R_{39} is hydrogen atom, an alkyl group, an aryl group, an alkylaryl group or an arylheterocyclic ring, as defined herein.

[0104] "Carbonyl" refers to $-C(O)-$.

[0105] "Alkylcarbonyl" refers to $R_{40}-C(O)-$, wherein R_{40} is an alkyl group, as defined herein.

[0106] "Arylcarbonyl" refers to $R_{41}-C(O)-$, wherein R_{41} is an aryl group, as defined herein.

[0107] "Carboxylic ester" refers to $-C(O)OR_{42}$, wherein R_{42} is an alkyl group, an aryl group, an alkylaryl group or an aryl heterocyclic ring, as defined herein.

[0108] "Alkylcarboxylic acid" and "alkylcarboxyl" refer to an alkyl group, as defined herein, appended to a carboxyl group, as defined herein.

[0109] "Alkylcarboxylic ester" refers to an alkyl group, as defined herein, appended to a carboxylic ester group, as defined herein.

[0110] "Arylcarboxylic acid" refers to an aryl group, as defined herein, appended to a carboxyl group, as defined herein.

[0111] "Arylcarboxylic ester" and "arylcarboxyl" refer to an aryl group, as defined herein, appended to a carboxylic ester group, as defined herein.

[0112] "Carboxamido" refers to $-C(O)N(R_{43})(R_{44})$, wherein R_{43} and R_{44} are each independently a hydrogen atom, an alkyl group, an aryl group, an alkylaryl group or an arylheterocyclic ring, as defined herein, and R_{34} and R_{35} when taken together are a heterocyclic ring, a cycloalkyl group or a bridged cycloalkyl group, as defined herein.

[0113] "Alkylcarboxamido" refers to an alkyl group, as defined herein, appended to a carboxamido group, as defined herein.

[0114] "Arylcarboxamido" refers to an aryl group, as defined herein, appended to a carboxamido group, as defined herein.

[0115] "Urea" refers to $-N(R_{45})-C(O)N(R_{46})(R_{47})$ wherein R_{45} , R_{46} , and R_{47} are each independently a hydrogen atom, an alkyl group, an aryl group, an alkylaryl group, or an arylheterocyclic ring, as defined herein, or R_{46} and R_{47} taken together are a heterocyclic ring, a cycloalkyl group or a bridged cycloalkyl group, as defined herein.

[0116] "Phosphoryl" refers to $-P(R_{48})(R_{49})(R_{50})$, wherein R_{48} is a lone pair of electrons, thial or oxo, and R_{49} and R_{50} are each independently a covalent bond, a hydrogen, a lower alkyl, an alkoxy, an alkylamino, a hydroxy, an oxy or an aryl, as defined herein, or R_{49} and R_{50} taken together are a heterocyclic ring, a cycloalkyl group or a bridged cycloalkyl group, as defined herein.

[0117] "Silyl" refers to $-Si(R_{51})(R_{52})(R_{53})$, wherein R_{51} , R_{52} , and R_{53} are each independently a covalent bond, a lower alkyl, an alkoxy, an aryl or an arylalkoxy as defined herein, or R_{51} and R_{52} taken together are a heterocyclic ring, a cycloalkyl group or a bridged cycloalkyl group, as defined herein.

[0118] Polymeric materials containing antimicrobial side chains covalently bound to the surface can be prepared by any of several methods known in the art. For example as shown in Figure 2, and not as a limitation to the present invention, the charged species may be linked directly to a polymerizable unit. The unit would then be used as a component in a polymerization reaction. For example, methacryloyloxydodecylpyridium bromide could be copolymerized with methacrylate to form a polyacrylate polymer containing a quaternary ammonium salt. (See S. Imazato, et al., Incorporation Of Anti-microbial Monomer MDPB Into Dentin Primer, J Dent

Res, 76 (3): 768 -772 March 1997). As another example to prepare the polymer of the present invention, and not as limitation, Figure 3 shows that an existing polymer surface may contain reactive groups which will form covalent bounds to substituents in a molecule containing an ammonium or phosphonium salt. For example, 3-(trimethoxysilyl)-propyloctadecyldimethylammonium may react with hydroxyl groups on the surface of a polymer, exchanging methoxy groups for surface bound hydroxyl groups and thus become covalently bound to the surface of the polymer. These substrates demonstrate non-leaching broad spectrum anti-microbial activity. As yet another example to prepare the polymer of the present invention, and not as limitation, Figure 4 shows a polymer which contains an alkylating group that may react with a neutral tertiary amine or phosphine. For example, 6,7-dichloropoly(glycidylmethacrylate) reacts with triethylamine to give 6,7-bis-trimethylammoniumpoly(glycidylmethacrylate) chloride. (Kenawy et al., Biologically Active Polymers: Synthesis And Anti-microbial Activity Of Modified Glycidyl Methacrylate Polymers Having A Quaternary Ammonium And Phosphonium Groups, Journal Controlled Release, 50; 145-152 1998, incorporated herein by reference). The anion of the quaternary salts may be the anion of any physiologically acceptable acid. Such a designation is one of desirability rather than of criticality since the "anion leakage" of these compounds is minimal. (See U.S. Patent No. 4,427,796, incorporated herein by reference). While the quaternary salt will impart the anti-microbial properties the other desirable characteristics of the polymeric film will be achieved by the choice of a copolymer and/or use of laminates.

[0119] Fig. 5 is a photograph of a plate assay showing a comparison of antimicrobial activity of the antimicrobial films of the present invention. Fig. 5 demonstrates leaching of the soluble component of a hybrid polymer into agar. Previous studies have demonstrated that C8 polymer (Dimethyloctyl [4-vinylphenyl] methylammonium chloride) is water-soluble and will dissolve into agar. Active hybrid polymer (50:50 Poly (Dimethyloctyl [4-vinylphenyl] methylammonium chloride) : Poly (Dimethyldodecyl [4-vinylphenyl] methylammonium chloride) coated onto a plastic support) was

placed (active surface face down) on agar, which had been pre-streaked with (Gram-negative bacteria) *Salmonella enteritidis* ATCC 49222 (approx. 1,000,000 colony forming units per milliliter [cfu/ml]). The hybrid polymer also demonstrated leaching effects.

[0120] Referring now to Figs. 6A, 6B, and 6C photographs of a plate assay showing a comparison of antimicrobial activity of the antimicrobial films of the present invention are shown. These photographs illustrate the bacteriostatic properties of specific polymers being demonstrated. An active polymer coated film was placed on top of agar pre-streaked with (Gram-positive bacteria) *Staphylococcus aureus* ATCC 29213 (approx. 1,000,000 cfu/ml). Fig. 6A shows that after 48 hours incubation at 37°C, bacterial growth was monitored. Bacteria were found to grow normally in regions not in contact with the film. However, no growth was observed in regions where the film came in contact with the agar.

[0121] Fig. 6B shows whether the film activity was bactericidal versus bacteriostatic. The film was removed and smeared onto a fresh agar plate. Fig. 6C shows that after 24 hours incubation at 37°C, new bacterial growth was observed. Based on the growth observed, the active polymer was determined to be bacteriostatic.

[0122] FIG. 7 is a photograph of the results obtained with the preferred embodiment of this invention. Active 100% C14 polymer film (Poly (Dimethyltetradecyl [4-vinylphenyl] methylammonium chloride) was placed onto the streaked surface (active surface face down) and the plate incubated for 48 hours at 37°C. Using a 100% C14 polymer film, no apparent bacterial growth was observed below the film indicating that growth was inhibited. Growth right up to the edge of the support assures that no leaching has occurred. In this study, C14 (Poly (Dimethyltetradecyl [4-vinylphenyl] methylammonium chloride) was effective against *Staphylococcus* and did not exhibit leaching. No thickening occurred at the support's edges.

[0123] In a preferred embodiment, the polymer material, forms an insoluble, non-leachable preferably straight chain polymer having a unique configuration: some of the organic material protrudes into the surrounding environment, that is, "arms", "tentacles", or "side-chains" of the organic material project away from the matrix and into the surrounding environment. This phenomenon can be understood by referring to FIGS. 8A, 8B, and 8C, which are schematic graphic illustrations of a preferred coating of the present invention in which the organic material is a polymer and the biocidal material is a selected from the group consisting of quaternary ammonium salts, pyridinium salts, and phosphonium salts, preferably quaternary ammonium salts. Figs. 8A, 8B, and 8C show polymer matrix (1) having side-chains (3) projecting into the ambient environment. Without wishing to be bound by theory, it is believed that when a microorganism contacts the coating, the polymer side-chains dissolve into the lipid bilayer or cell wall(4) surrounding the microorganism (2), thereby causing the cell to lyse, hence killing it. More specifically Fig. 8A shows cell (2) and polymer film (5) in close proximity, prior to contact. Cell wall (4) of cell (2) is negatively charged and is electrostatically attracted to the positively charged antimicrobial side chain (3) covalently bond to a polymer backbone (1). FIG. 8B shows a schematic graphic illustration of antimicrobial film (5) of the present invention where antimicrobial side chain (3) is covalently bound to a polymer backbone (1). Antimicrobial film (5) and is able to penetrate cell (2). After prolonged contact, cell (2) will lyse to the extent that it may lose its intracellular material (6) resulting in the death of a microbe.

[0124] The following examples are given for the purpose of illustrating the present invention and are not intended to limit the scope in any way.

EXAMPLE 1a.

Poly (1-(chloromethyl)-4-vinylbenzene

[0125] A flame dried 1-L round bottom flask was charged with AIBN (1.9 g, 11.6 mmol) and 50 mL of anhydrous toluene. To this stirred solution

was added chloromethylstyrene (76.25 g, 500 mmol) in toluene (430 mL). Argon was bubbled through the mixture; it was then warmed to 78-80 °C with stirring for 22 hrs under a blanket of argon. Approximately 50 mL of hexane was added to the flask and the whole mixture was then poured into 750 mL of hexane. A taffy-like precipitate formed. The precipitate was collected and washed a couple of times with water. The precipitate was then dissolved in THF. The THF solution was filtered. Adding petroleum ether precipitated the product that was then separated from the mother liquor. The solid was dissolved again in THF, and finally precipitated in methanol. The product was collected and dried overnight at 50 °C in a vacuum oven. This gave the title compound as a brittle, white powder (36.16 g). GPC analysis that gave the following results:

Run 1:

Mw = 13750

Mn = 9882

Mp = 10708

Polydispersity = 1.391

Run 2:

Mw = 13745

Mn = 9866

Mp = 10739

Polydispersity = 1.393

EXAMPLE 1b.

Poly (Dimethyloctyl [4-vinylphenyl] methylammonium chloride)

[0126] A solution of the Product of Example 1a. (3.04 g, 20 mmol) in 1:1 IPA: THF (100 mL) was heated to reflux with stirring under argon. N, N-Dimethyloctylamine (3.14 g, 20 mmol) was added and the reaction mixture was refluxed under argon for 24 h. The reaction mixture cooled to room temperature. The volatiles were removed using a rotary evaporator to give a viscous oil. The oil was placed in a 30-35 °C vacuum oven overnight. This gave the title compound as a brittle, white powder (6.1 g). Films could be cast from 5% w/v solutions from the following solvents: IPA, methanol, and 1:1 THF:IPA onto a polyester backing.

EXAMPLE 2

Poly (Dimethyldodecyl [4-vinylphenyl]methyammonium chloride)

[0127] A solution of the Product of Example 1a (3.04 g, 20 mmol) in 1:1 IPA: THF (100 mL) was heated to reflux and stirred under argon. N,N-Dimethyldodecylamine (4.27g, 20 mmol) was added and the reaction mixture was refluxed under argon for 24 h. The reaction mixture cooled to room temperature. The volatiles were removed using a rotary evaporator to give a viscous oil. The oil was placed in a 30-35 °C vacuum oven overnight. This gave the title compound as a brittle white powder (6.39g). Films could be cast from 5% w/v solutions from the following solvents: IPA, methanol, and 1:1 THF:IPA onto a polyester backing.

EXAMPLE 3

Poly (Dimethyltetradecyl [4-vinylphenyl] methyammonium chloride)

[0128] A solution of the Product of Example 1a (3.04 g, 20 mmol) in 1:1 IPA: THF (100 mL) was heated to reflux with stirring under argon. N,N-Dimethyltetradecamine (4.83g, 20 mmol) was added and the reaction mixture was refluxed under argon for 24 h. The reaction mixture cooled to room temperature. The volatiles were removed using a rotary evaporator to give a viscous oil. The oil was placed in a 30-35 °C vacuum oven overnight. This gave the title compound as a brittle, white powder (7.36 g). Films could be cast from 5% w/v solution in IPA onto a polyester backing.

EXAMPLE 4

50:50 Poly (1-Chloromethyl)-4-vinylbenzene) : Poly (Dimethyldodecyl [4-vinylphenyl] methyammonium chloride)

[0129] 4a. A solution of the Product of Example 1a (3.04 g, 20 mmol) in 1:1 isopropanol: THF (100 mL) was heated to reflux with stirring under argon. N,N-Dimethyldodecylamine (2.134g, 10 mmol) was added and the reaction mixture was refluxed under argon for 24 h. The reaction mixture cooled to room temperature. The volatiles were removed using a rotary

evaporator to give a viscous oil. The oil was placed in a 30-35 °C vacuum oven overnight. This gave the title compound as a brittle, white powder (4.68 g). Films could be cast from 5% w/v solution in IPA onto a polyester backing.

EXAMPLE 5

50:50 Poly (1-Chloromethyl)-4-vinylbenzene) : Poly (Dimethyloctyl [4-vinylphenyl] methylammonium chloride)

[0130] 5a. A solution of the Product of Example 1a (3.04 g, 20 mmol) in 1:1 isopropanol:THF (100 mL) was heated to reflux with stirring under argon. N,N-Dimethyloctylamine (1.57 g, 10 mmol) was added and the reaction mixture was refluxed under argon for 24 h. The reaction mixture cooled to room temperature. The volatiles were removed using a rotary evaporator to give a viscous oil. The oil was placed in a 30-35 °C vacuum oven overnight. This gave the title compound as a brittle, white powder (4.53 g). Films could be cast from 5% w/v solution in IPA onto a polyester backing.

EXAMPLE 6

50:50 Poly (Dimethyldodecyl [4-vinylphenyl] methylammonium chloride) : Poly (Dimethyloctyl [4-vinylphenyl] methylammonium chloride)

[0131] 6a. A solution of the Product of Example 1a (3.04 g, 20 mmol) in 1:1 isopropanol:THF (100 mL) was heated to reflux with stirring under argon. N,N-Dimethyloctylamine (1.57 g, 10 mmol) and N,N-Dimethyldodecylamine (2.13 g, 10 mmol) were added and the reaction mixture was refluxed under argon for 24 h. The reaction mixture cooled to room temperature. The volatiles were removed using a rotary evaporator to give a viscous oil. The oil was placed in a 30-35 °C vacuum oven overnight. This gave the title compound as a brittle, white powder (6.60 g). Films could be cast from 5% w/v solution in IPA onto polyester backing.

EXAMPLE 7

Poly (Tributyl- [4-vinylphenyl] methylphosphonium chloride)

[0132] A solution of the product of Example 1a (3.04 g, 20 mmole) in 100 mL of one-to-one mixture of isopropanol and THF was heated to reflux and stirred under Argon. Tributylphosphine (3.85g, 19 mmole) was added and the reaction mixture was refluxed under Argon for 24 h. Cooled reaction mixture and reduced it to a viscous oil by rotary evaporator. The oil was placed in an 80 °C vacuum oven overnight. Product was a white brittle powder (6.22 g, 90% yield). Films could be cast from 5% w/v solution in IPA or water onto polyester backing.

EXAMPLE 8

Poly (Trioctyl-[4-vinylphenyl] methylphosphonium chloride)

[0133] A solution of the product of Example 1a (3.04 g, 20 mmole) in 100 mL of one-to-one mixture of isopropanol and THF was heated to reflux and stirred under Argon. Trioctylphosphine (7.04, 19 mmole) was added and the reaction mixture was refluxed under Argon for 24 h. Cooled reaction mixture and reduced it to a viscous oil by rotary evaporator. The oil was placed in an 80 °C vacuum oven overnight. Product was a white brittle powder (9.75 g, 97% Yield). Films could be cast from 5% w/v solution in IPA onto polyester backing.

Biological Results

[0134] Films were cast by painting a solution of polymer dissolved in a suitable solvent onto a polyester backing material and allowing the solvent to evaporate. This generally resulted in a clear film. The supported polymeric quaternary ammonium salt film could then be cut into square pieces (1" x 1") for antimicrobial activity.

Compound	Test Protocol	Results
Example 1b	A1	SG
Example 1b	B1	SG
Example 1b	C1	SG 2-log kill
Example 2	A1	SG
Example 2	B1	SG
Example 2	C1	SG 1-log kill

Example 3	A2	NG 2 log kill
Example 3	B2	RG
Example 3	C2	SG 2-log kill
Example 8	A1	NG
Example 8	B1	NG
Example 8	C1	NG 2 log kill

EXPERIMENTAL APPROACHES

[0135] Experimental approaches include: A1- Confluent growth of log phase staphylococcus bacteria (1,000,000 cfu) were streaked onto a nutrient agar petri plate. Film was then overlaid onto the streaked area, active side down, and the plates were incubated for 24 hours at 37 °C; A2- Confluent growth of log phase bacteria (80,000 cfu), 48 hour incubation at 37 °C; B1- Films were placed on agar plates with the active side facing up and confluent growth of log phase staphylococcus bacteria (1,000,000 cfu) containing broth was placed directly onto the film, active side up, and agar. These plates were incubated for 24 hours at 37°C; B2- Confluent growth of log phase bacteria (80,000 cfu), 48 hour incubation at 37 °C; C1- Log phase (1,000,000 cfu) bacteria was inoculated into nutrient broth tubes. Films were placed directly into liquid media containing staphylococcus bacteria for 24 hours. A 100μl aliquot of broth was removed from each tube, plated and examined for growth; C2- Confluent growth of log phase bacteria (80,000 cfu).

[0136] General Experimental and Abbreviations: IPA, isopropanol; THF, tetrahydrofuran; AIBN, azo-bisisobutyronitrile; cfu, colony forming units; G, maximum growth observed; SG, slowed growth observed; log-kill, biocidal; NG, no growth; RG, reduced growth.

BIOLOGICAL RESULTS FOR POLY (TRIOCTYL-[4-VINYLPHENYL] METHYLPHOSPHONIUM CHLORIDE POLYMERS

[0137] Qualitative assessment of surface contact antimicrobial activity of a cast polymer film of Tri-octyl (1 x 1 sq. inch on plastic support was

performed. The plastic support could potentially compromise oxygen access for the microbes (See Method 1B below). Plastic supports with polymer cast onto its surface were placed (active surface face down) onto petri plates containing rapidly growing *Candida*, *Aspergillus*, *Pseudomonas*, *Staphylococcus* or *Lactobacillus*. After 24-72 hours incubation, the plates were assessed for growth and inhibition. Virgin plastic support (without a polymer coating) was tested, in parallel, as a control.

Test organisms (log phase) - media used:

(Yeast) *Candida albicans* ATCC 10231 – YM agar and YM broth

(Gram-positive – facultative anaerobe) *Lactobacillus fructivorans* ATCC 15435 - Lactobacillus Sake agar and broth

(Mold) *Aspergillus niger* ATCC 16404 - Sabourauds Dextrose Agar

(Gram-negative) *Pseudomonas fluorescens* ATCC 55129 – Nutrient agar and broth

[0138] Confluent growth of log phase (1,000,000 cfu) bacteria and yeast were streaked onto the appropriate media on a petri plate. 10 µl of *Aspergillus* was streaked onto the appropriate media on a petri plate. Films were then overlaid onto the streaked area. Plates were incubated for 72 hours at 30°C.

[0139] Experimental results obtained are provided in Table 1A below. After incubation, the plates were examined for reduced growth. No effect was observed on *Candida*, *Pseudomonas*, and *Lactobacillus*. *Staphylococcus* and *Aspergillus* exhibited no growth when in contact with the film.

[0140] Table 1A shows the biological results for Poly (Trioctyl-[4-vinylphenyl] methylphosphonium chloride) (Example 8) and Poly(Dimethyltetradecyl [4-vinylphenyl] methylammonium chloride) (Example 3).

TABLE 1A Microbe versus Film	Lactobacillus	Pseudomonas	Candida	Aspergillus
Example 8: Film directly onto bacteria on agar plates.	G	G	G	NG
Example 3: Film directly onto bacteria on agar plates.	G	G	G	NG

[0141] Method 1B: Film - petri plate testing – Broth Surface Contact
Description: This was an initial qualitative assessment of surface contact antimicrobial activity of a cast polymer film on a plastic support. Plastic supports with polymer cast onto its surface were placed (active surface face up) onto petri plates and broth containing Candida, Aspergillus, Pseudomonas, Staphylococcus, or Lactobacillus was placed directly onto the active polymer surface. After 24-72 hours incubation, the plates were assessed for growth and inhibition. Virgin plastic support (without a polymer coating) was tested, in parallel, as a control.

[0142] Films were placed on agar plates with the active side facing up and microorganism containing broth placed directly onto the film and agar. These plates were incubated for 72 hours at 30°C.

[0143] Experimental results obtained are provided in Table 1B below. Reduced growth of Aspergillus was observed with this film type.

[0144] Table 1B shows the biological results for Poly (Trioctyl-[4-vinylphenyl] methylphosphonium chloride) (Example 8) and Poly(Dimethyltetradecyl [4-vinylphenyl] methylammonium chloride) (Example 3).

TABLE 1B Microbe versus Film	Lactobacillus	Pseudomonas	Candida	Aspergillus
Microbe directly onto Film on agar plates. Example 8	G	G	G	NG
Microbe directly onto Film on agar plates, Example 3	G	G	G	NG

[0145] Method 2A: Film - Broth testing – Bacteria and Yeast only
Description: Testing of films in broth was expected to provide both improved oxygen access, increased contact area, and direct insights into the rate and amount of antimicrobial activity present, if any.

[0146] Experimental Approach: Log phase (1,000,000 cfu) bacteria was inoculated into broth tubes. Films were placed directly into liquid media containing bacteria. After 24 hour exposure to the films, 100µl aliquots of broth were removed from each tube, plated and examined for growth. Virgin plastic support was used, in parallel, as controls.

[0147] Experimental results obtained are provided in Tables 2A below. Reduced growth, approx. 2 log reduction of Staphylococcus was observed. No effect was observed for all other organisms involved in broth testing.

[0148] Table 2A shows the biological results for Poly (Trioctyl-[4-vinylphenyl] methylphosphonium chloride) (Example 8) and Poly(Dimethyltetradecyl [4-vinylphenyl] methylammonium chloride) (Example 3).

<u>TABLE 2A</u> <u>Microbe</u> <u>versus Film</u>	Lactobacillus	Pseudomonas	Candida
Microbe directly onto agar plates. Example 8	G	G	G
Microbe directly onto agar plates. Example 3	G	G	G

[0149] Method 2B: Film - Broth testing – Bacteria and Yeast only

Description: Films that were originally incubated in broth with bacteria were directly placed onto agar for an additional 24-48 hours for the detection of microbe. Virgin plastic support and unreacted polymers was tested, in parallel, as controls.

[0150] Experimental Procedure: Film pieces were placed on agar plates with the active side facing down and these plates were incubated and examined for growth after 24-48 hours.

[0151] Results: Experimental results obtained are provided in Table 2B below. There was no effect observed on any of the microbes except for Staphylococcus.

Table 2B

<u>TABLE 2B</u> <u>Microbe</u> <u>versus</u> <u>Film</u>	Lactobacillus	Pseudomonas	Candida	Staphylococcus
Film directly onto agar plates. Tri-octyl	G	G	G	NG

